

天津市鼎安达玻璃有限公司 玻璃耗材与配件部

有玻璃的地方 就有鼎安达

Where there is glass, There is Dinganda



玻璃耗材配件“一站式”采购平台

"One-stop" procurement platform for glass consumable parts

买贵了, 补差价! 质量问题, 无条件全额退款!

Address NO.41 Hanjiashu C Industrial Area, Beichen District, Tianjin, China



鼎安达玻璃
DingAnDa Glass

天津鼎安达玻璃有限公司
Tianjin DingAnDa Glass.,Ltd

天津总公司:天津市北辰区韩家墅钢材市场C区后道41号

电话:022-88829505 022-88829506

手机:186 0225 2111

网址:www.dadglass.com.cn

沙河市分公司:河北省邢台市沙河正玻工业园A4-1

电话:132 7368 3996

广东省分公司:广东省佛山市顺德区伦教常教花园北路2号

电话:0757-27883082

传真:0757-27883081

业务经理:

手机:

COMPANY PROFILE

目录 CONTENTS

Tianjin Dinganda Glass Co., Ltd., established in 1997, locates in the logistics center city Tianjin of North China. After 20 years of development, it becomes a leading company in the national glass industry and glass resources in China.

Based in Tianjin, taking Shahe, the base of China's glass industry, as a large-scale glass and glass accessories consumables warehouse, radiate across the country; through Qingdao, Tianjin, and Guangdong coastal ports to open up overseas sales channels.

After several years development, the company owns Tianjin Rishengyuan Glass Technology Co., Ltd., Hengshengyuan Building Fire Protection Technology Co., Ltd., Qingdao Dinganda Glass Technology Co., Ltd., Shahe Dinganda Glass Branch, Tianjin Dinganda Guangdong Branch, and Shanxi Dinganda Glass Branch; with seven major business sectors including glass trading, glass machinery and exporting etc, and becomes a leading firm in China. We continuously work hardly and looking forward to work with you in the very near future.

Tianjin Dinganda Glass Consumables & Accessories Department

Quality assurance, Customer first, Working toward to brilliant future

The Consumables & Accessories Department of Tianjin Dinganda Glass Co., Ltd. discloses honest product prices to customers around the world and achieving:

Product diversification & quality optimization & price margin minimization

We promise ensuring high quality and with most competitive market price.

1	Double/Straight Edge Machine Series	01
2	Shaped Machine Series	04
3	Beveling Machine Series	05
4	Four Side Grinding Series	06
5	Drilling Machine Series	07
6	Tempered & Laminated	08
7	CNC Machining Center	09
8	Hollow Plate	10
9	Cutting Series	12
10	Grinding & Polishing	14
11	Labor Safety Protection Products	15
12	Simple Machinery	17
13	Manual Suction Cup Lifter Series	20
14	Accessories Series	21



High speed diamond wheel
175*d*15*10 80#,100#
F6
175*d*15*6 80-180#
F6
175*d*12*6 140#,180#
F6



Full segment diamond wheel
150*d*15*10
F4 F5 F6
175*d*15*8
F4 F5 F6
175*d*15*10
F4 F5 F6
40#-100#



Inner segment diamond
150*d*8*10 F4 F5
175*d*8*10 F4 F5
140#,180#



Outer segment straight edge diamond wheel
150*d*12*10 100#-240#
F5 F6
150*d*12*5 100#-240#
F5 F6
175*d*12*8 F5 F6
120#,180#,240#



Continuous diamond wheel
150*d*8*8 80-240# F3
F4 F5 F6
150*d*8*10 80-240# F3
F4 F5 F6
175*d*8*8 80-240# F3
F4 F5 F6



Outer segment diamond wheel
130*d*12*8 180#-320#
F3 F6
150*d*12*5 180#-320#
F6



Continuous diamond wheel
130*d*8*8 240#,270#,320#
F3 F6
130*d*10*8 240#,270#,320#
F3
150*d*10*8 240#,270#,320#
F3



Shaped beveling diamond wheel
150*22*8*10 100#
F5



Inner&Outer segment diamond wheel
175*12*6
F6



Full segment diamond wheel(XY)
175*15*10
150*15*10
150*10*10
(12 22 50)(100#)



Inner segment diamond wheel
175*10*8
(12 22 50)(140#)
150*10*8
(12 22 50)(140#)



Continuous diamond wheel(XY)
175*10*10
(12 22 50)(180#)
175*8*8
(12 22 50)(100#)
150*8*8
(12 22 50)(100#,180#)
130*8*8
(12 22 50)(100#)



Full segment diamond wheel(E3)
150*15*12
175*15*12
(12 22 50)(80#,100#)



Inner segment diamond wheel(E3)
150*9*12
175*9*12
(12 22 50)(140#)



Continuous diamond wheel(E3)
150*8*8
130*8*8
(12 22 50)(100#,240#)



Continuous diamond wheel(E2)
150*8*8
130*8*8
(12 22 50)
(100#,120#,180#,240#)



Resin wheel(Good)



Resin wheel(Standard)



Resin wheel



Resin wheel



Resin wheel(BJ)



Continuous resin wheel



Full segment resin wheel
Φ175*20*15 (12 240#)
Φ150*20*15 (12 240#)



10S Polishing wheel(standard)
150*40*70
10S40、10S60、10S80
130*35*60
10S40、10S60



10S Polishing wheel(BJ)
Φ150*70*40 10S80
Φ130*60*35 10S40
Φ150*70*40 10S40
Φ150*70*40 10S60
Φ130*60*35 10S60



10S-II Polishing wheel(Middle)
150*40*70
10S40、10S60、10S80
130*35*60
10S40、10S60



10S TX Polishing wheel(best)
150*40*70
10S40、10S60、10S80
130*35*60
10S40、10S60



10S Polishing wheel(with base)
150*40*12
130*35*12



BK Polishing wheel
150*40*70
46#, 60#
130*35*60
46#, 60#



Polishing wheel(CE3)
150*40*70

Resin wheel

175*15*10 (Good)	(12 240#)
175*15*12(Standard)	(12 240#)
150*15*20	(12 22 50)(240#)
150*15*15	(12 22 50)(230#、320#)
150*15*12	(12 22 50)(240#)
150*15*10	(12 50)(240#)
150*10*12	(12 50)(240#)
150*10*10	(12 50)(240#)
130*15*15	(12 22 50)(230#)
130*15*12	(12 22 50)(240#)
130*15*10	(12 50)(240#)
130*10*12	(12 50)(240#)
130*10*10	(12 50)(240#)

Resin wheel(BJ)

Φ175*20*15	(12)(240#)
Φ150*20*15	(12)(240#)
Φ130*20*15	(12)(240#)

Continuous resin wheel

Φ150*20*13	(12 22)(240#)
------------	----------------



Polishing Wheel CELT-3(best)
150*40*70
130*35*60



Polishing Wheel X3000(normal)
150*30*70



Polishing Wheel X3000(best)
150*30*70



Polishing Wheel X5000 (normal)
150*40*70



Polishing Wheel X5000 (with base)
150*40*70



Polishing Wheel X5000 (best)
150*40*70
150*30*70



Polishing Wheel DAD-01
150*30*70



Stone Wheel
150*12*40
130*12*40



Water-type Coating Remove Wheel



Water-type Coating Remove Wheel(bronze)

Water-type Coating Remove Wheel
130*40*12mm
Bronze colour suitable for the double edge machine
150*50*10mm
150*50*12mm
150*50*15mm
150*50*18mm
150*50*20mm
150*76*10mm
Φ150*76(孔)*12mm
Φ150*76(孔)*15mm
Φ200*76.2(孔)*10mm
Φ200*76.2(孔)*12mm
Φ200*76.2(孔)*15mm
Φ200*76.2(孔)*18mm

Grey color suitable for four side edge machine
200*76.5*10mm
200*76.5*12mm
200*76.5*15mm
200*76.5*18mm
200*76.5*20mm

Water-type coating removing wheel
150*20*15mm
150*20*10mm
150*20*12mm



Water-type Coating Remove Wheel(grey)



Water-type Coating Remove Wheel



Brush
1000mm/roll



Aluminum Base
Φ100*30*40



Aluminum Base
Φ130*12
Φ150*12



Cover
Taxus Wheel Cover (for 150 dia)
Taxus Wheel Cover (for 150 dia)



Round Edge Diamond Wheel



Round Edge Diamond Wheel



Pencil Edge Diamond Wheel



Pencil Edge Diamond Wheel



Ogee Wheel



Ogee Wheel



BD Polishing Wheel



BK Polishing Wheel



BD Polishing Wheel



BK Polishing Wheel


100*22*3mm 180# 200#
100*22*4mm 180# 200#
100*22*5mm 150# 180#
100*22*6mm 150# 180#
100*22*8mm 80# 150# 240#
100*22*10mm 80# 150# 240#
100*22*12mm 80# 150# 240#
100*22*15mm 80# 150# 240#
100*22*19mm 80# 150# 240#
150*22*3mm 180# 200#
150*22*4mm 180# 200#
150*22*5mm 150# 180#
150*22*6mm 150# 180#
150*22*8mm 80# 150# 180#
150*22*10mm 80# 150# 240#
150*22*12mm 80# 150# 240#
150*22*15mm 80# 150# 240#
150*22*19mm 80# 150# 240#



Beveling Wheel



Tricolor Wheel



BK Polishing Wheel



BK Polishing Wheel

100*22*15mm for 5mm 6mm
100*22*20mm for 8mm 10mm
100*22*25mm for 12mm 15mm
100*22*30mm for 19mm
150*22*15 for 5mm 6mm
150*22*20 for 8mm 10mm
150*22*25 for 12mm 15mm
150*22*30 for 19mm

BK Polishing Wheel
150*22*15mm 60# 120# 180#
150*22*20mm 60# 120# 180#
150*22*25mm 60# 120# 180#
150*22*30mm 60# 120# 180#

Beveling Wheel
150*22*10mm 80#
150# 240#
150*22*15mm 80#
150# 240#
150*22*20mm 80#
150# 240#
Tricolor Wheel
150*36(H)*22(A)*15(W)*
10(H)
red:320# green:180# dark:80#

BK Polishing Wheel
100*22*15mm for 5mm 6mm
100*22*20mm for 8mm 10mm
100*22*25mm for 12mm 15mm
100*22*30mm for 19mm
150*22*15 for 5mm 6mm
150*22*20 for 8mm 10mm
150*22*25 for 12mm 15mm
150*22*30 for 19mm

BK Polishing Wheel
150*22*15mm 60# 120# 180#
150*22*20mm 60# 120# 180#
150*22*25mm 60# 120# 180#
150*22*30mm 60# 120# 180#

双直边机

异形机系列



Silicone sucker
Diameter 90 Hole 25



Vacuum generator



Track wheel



Shaped machine rubber sucker



External segment beveling diamond wheel
Seven star stone F3 $\phi 150^*6^*12$
F4 $\phi 150^*6^*12$
F4 $\phi 150^*8^*10$
100#




Continuous beveling diamond wheel
Seven star stone F4 150*5*12
Aperture: 22 80# 180#



External segment beveling diamond wheel
XY 150*8*10
Aperture: 22 100#



Continuous beveling diamond wheel
XY 150*5*10
Aperture: 22 180#



Beveling machine resin wheel
150*22(aperture)*15*12
3#, 4#, 5#, 6#, 7#



Beveling machine resin wheel
150*22(aperture)*15*13
3#, 4#, 5#, 6#, 7#



Beveling machine resin wheel
150*12*20*15
3#, 4#, 5#, 6#, 7#



Woolen wheel
150*35*70
150*35*105



Woolen wheel with powder
150*35*70
150*35*105



Oxide cerium polishing powder
Pink 5kgs/bag
White 5kgs/bag



GGS diamond + resin wheel
160*38*68 320#



GGS diamond + resin wheel
160*38*22 320#



GGS diamond + resin wheel
 $\phi 160^*20(w)^*22(A)$ 200#



GGS diamond + resin wheel
 $\phi 160^*32^*10.5^*10$



GGS diamond + resin wheel
160*40*68*10



GGS diamond + resin wheel
160*68*P20 320#



Four sides edger machine resin wheel
160*22*33



Kaiye four sides edger machine resin wheel
160*35(aperture)*22(thickness)



Teneng four sides edger machine resin wheel
160*68(aperture)*40/38(thickness)




Teneng four sides edger machine resin wheel
160*40*15(2pcs/set)



Hengju four sides edger machine resin wheel
160*75(aperture)*38(thickness)



Yihai four sides edger machine chamfering diamond wheel XY
150*10*P22
320#



Yihai four sides edger machine bottom grinding diamond wheel
200*76.2*22.5*5
140#



Golive four sides edger machine upper chamfer diamond wheel XY
160*10/20*P10(2pcs/set) 320# 240#
For A type and B type machine



Golive four sides edger machine chamfering diamond wheel XY
160*10/20*P10(2pcs/set)
240# 320# For A type machine




Golive four sides edger machine bottom grinding diamond wheel
150*10.5*10*5
140# For A type machine



Golive four sides edger machine bottom grinding diamond wheel
150*76.2*10*5
140# For B type machine



Golive four sides edger machine chamfering diamond wheel XY
160*10/20*P10(2pcs/set)
320# 240# For C type machine



Golive four sides edger machine bottom grinding diamond wheel XY
160*10*68*3P10 120# 150# 180#
For C type machine



Sintered taper-shank drill
 $\phi 5-11\text{mm}$
 $\phi 12-100\text{mm}$
 $\phi 101-120\text{mm}$



Sintered taper-shank drill (ultra thin)
 $\phi 5-\phi 11/\text{mm}$
 $\phi 12-\phi 75/\text{mm}$
 $\phi 80-\phi 100/\text{mm}$



Sintered taper-shank drill (new type)
 $\phi 5-\phi 11/\text{mm}$
 $\phi 12-\phi 75/\text{mm}$
 $\phi 80-\phi 100/\text{mm}$



Overall drill bits
 $\phi 6-\phi 11$
 $\phi 12-\phi 75$
 $\phi 80-\phi 100$



Electroplated hand drill bits
 $\phi 5-\phi 90\text{ mm}$
 $\phi 100-\phi 120\text{ mm}$



Chamferer
 $\phi 5-\phi 11$
 $\phi 12-\phi 70$
 $\phi 80-\phi 100$



Chamfering ring
 $\phi 5-\phi 11$
 $\phi 12-\phi 75$
 $\phi 80-\phi 100$